Penicillin Troches 5000 units-



The Gazette



of India

EXTRAORDINALLY

PUBLISHED BY AUTHORITY

NEW DELHI, MONDAY, OCTOBER 31, 1949

GOVERNMENT OF INDIA

OFFICE OF THE CHIEF COMMISSIONER, DELHI PROVINCE, DELHI

NOTIFICATION

New Delhi, the 31st October 1949

No. F.28(1) 1905—In exercise of the powers conferred by Clause (a) of Sub-Section (170) Section 4 of the Drugs (Control) Ordinance, 1949 (Ordinance No XXVV) of 1949), the Chief Commissioner, Delhi Province, is pleased to direct that the Molowing amendment shall be made in his notification No. R.18(1)/4008, dated the 3rd October 1949, namely.

At the end of the Schedule, the following shall be added, Column II fixing the retail prices in respect of each item of drgus set out against it in Column I:—

Retail price

Rs. A.P.

ABBOT LABORATORIES (INDIA) LIMITED, BOMBAY

Per Per	Bottle of 24 nicillin G Procai nicillin Rapid/Re ium penicillin) v	ne in posit vith d	ory (3 iluent	lac u lac	nita, v unlta	ргося	PagelC	able S	yringe le um	e . ts pot	0g-	4 11 10	0	0 0 0	
Asc	orbic Acid 25 m	ıg. Ta	blets	(Ceno	iate)	-									
	Ascorbic Acid 25 mg. Tablets (Cenolate) – Bottle of 40														
Bottle of 40															
	Bottle of 1000										-	23	10	0	
Asc	orbie Acid 50 m	g. Ta	blets ((Ceno	late)	-									
Bottle of 40															
Ascorbic Acid 25 mg. Tablets (Cenolate) — Bottle of 40															
Bottle of 40															
Thi	amine Hydrochl	orid o	-												
	10 mg. per cc	–10-c	e, vial	l								1	12	0	
	50 mg. per cc	–5-cc	. vial								•	3	8	0	
	50 mg. per cc -	-10-00	vial	L									0	0	
	100 mg. per co.	10-	ee. vi	al			•	•				10	0	0	
Thi	amine Hydrochl	oride	1 ·0 n	ng. Ti	ab4:-										
	Bottle of 25											1	0	0	
	Bottle of 100				٠						,	2	4	0	
Thi	amine Hydrochl	oride	5 ·0 m	ıg. Ta	ьы.—										
	Bottle of 100		•		•	•			•		٠	ō	0	0	

Rabetle of 100	Cons dl p			
Bottle of 100 Bottle of 800 Bottle of 800 Bottle of 800 BoOTS PURE DRUG CO. (INDIA) LTD., BOMBAY	. A.	-	-	
Bottle of 500 40				
Globin Insulin (with zinc)—BOOTS— 40 units per c. 0. 5 cc. rubber-capped vial 2	0	_	_	
40 units per c.c. 5 cc. rubber-capped vial 80 units per c.c. 5 cc. rubber-capped vial 40 units per c.c. 5 cc. rubber-capped vial 40 units per c.c. 5 cc. rubber-capped vial 80 units per c.c. 5 cc. rubber-capped vial 40 units per c.c. 5 cc. rubber-capped vial 40 units per c.c. 5 cc. rubber-capped vial 80 units per c.c. 5 cc. rubber-capped vial 90 units per c.c. 5 cc. r				
######################################				
Box of 2 c.o. amps	$\frac{12}{12}$			
Box of 20.0. amps				
Box of 100 × 2 v.o. amps	0	0	0	
"Hepastab" Force— Concentrated Liver Extract (Reduced Dose, Increased potency)— Box of 3 × 1 o. c. amps				
"Hepastab" Force— Concentrated Liver Extract (Reduced Dose, Increased potency)— Box of 3 × 1 o. o. amps	-	4	4	
Box of 3 × 1 o. c. amps				
Box of 8 × 1 c. c. amps 10				
Box of 25 × 1 c. c. amps 35		0		,
Box of 100 × 1 c, a amps 125	0	_	-	
### Ottamina Zineinsulin—Boots— ### 40 units per c. c. 5 co rubber-capped vial				
40 units per c. c. 5 cc rubber-capped vial 80 units per c. c. 5 cc rubber-capped vial 40 units per c. c. 5 cc rubber-capped vial 40 units per c. c. 5 cc rubber-capped vial 40 units per cc. 5 cc rubber-capped vial 10 cc rubber-capped vial 20 units per cc. 5 cc rubber-capped vial 21 0 cc rubber-capped vial 22 10 cc rubber-capped vial 33 10 cc rubber-capped vial 36 units per cc. 5 cc rubber-capped vial 37 10 cc rubber-capped vial 38 20 units per cc. 5 cc rubber-capped vial 39 10 cc rubber-capped vial 30 units per cc. 5 cc rubber-capped vial 30 units per cc. 5 cc rubber-capped vial 30 units per cc. 5 cc rubber-capped vial 31 10 cc rubber-capped vial 32 10 cc rubber-capped vial 33 10 cc rubber-capped vial 34 10 cc rubber-capped vial 35 10 cc rubber-capped vial 36 10 cc rubber-capped vial 37 10 cc rubber-capped vial 38 20 units per cc. 5 cc rubber-capped vial 39 10 cc rubber-capped vial 30 units per cc. 5 cc rubber-capped vial 31 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0	0	0	
80 units per c. c. 5 co rubber-capped vial 40 units per c. c. 10 co rubber-capped vial 40 units per c. c. 10 co rubber-capped vial 40 units per c. 5 co rubber-capped vial 10 co rubber-capped vial 20 units per c. 5 co rubber-capped vial 21 0 co rubber-capped vial 32 10 co rubber-capped vial 33 20 units per c. 5 co rubber-capped vial 34 20 units per c. 5 co rubber-capped vial 35 20 units per c. 5 co rubber-capped vial 36 20 units per c. 5 co rubber-capped vial 37 20 co rubber-capped vial 38 30 units per c. 5 co rubber-capped vial 39 20 units per c. 6 co rubber-capped vial 30 co rubber-capped vial 30 20 units per c. 6 co rubber-capped vial 30 20 units per c. 6 co rubber-capped vial 30 20 units per c. 6 co rubber-capped vial 30 20 units per co. 5 co rubber-capped vial 30 20 units per co. 5 co rubber-capped vial 30 20 units per co. 5 co rubber-capped vial 30 20 units per co. 5 co rubber-capped vial 30 20 units per co. 5 co rubber-capped vial 30 20 units per co. 5 co rubber-capped vial 30 20 units per co. 5 co rubber-capped vial 30 20 units per co. 5 co rubber-capped vial 30 units per co. 5 co rubber-capped vial 30 20 00 00 00 00 00 00 00 00 00 00 00 00				
### ### ### ### ### ### ### ### ### ##	12	12	2	
### 10 co rubber-capped vial	$\frac{12}{12}$			
20 units per cc. 5 cc rubber-capped vial 1 10 cc rubber-capped vial 2 2 40 units per cc. 5 cc rubber-capped vial 2 2 10 cc rubber-capped vial 3 3 80 units per cc. 5 cc rubber-capped vial 3 3 10 cc rubber-capped vial 7 7 7 7 7 7 7 7 7				
10 co rubber-capped vial 2				
10 co rubber-capped vial 2	6	6	8	(
10 co rubber-capped vial				1
80 units per cc. 5 cc rubber-capped vial 10 cc rubber-capped vial 7 Nicotinamide—Boots— Tablets of 50 mg. Bottle of 25 tablets	14			
Nicotinamide	14	14	4	
Tablets of 50 mg. Bottle of 25 tablets	6	6	6	
Bottle of 100 tablets 6 Ampoules 50 mg. in 2 cc Box of 6 amps 8 Rectinic Acid.—Boots— Nectinic Acid, B. P.— Tablets of 50 mg. Bottle of 25 tablets 1 Bottle of 100 tablets 2 Ampoules of 50 mg. Box of 6 × 50 mg. 2 Penicillin (Sodium)— L. O. Visis containing— 100,000 I. U. 1 200,000 I. U. 1 500,000 I. U. 3				
Ampoules 50 mg. in 2 cc Box of 6 amps	0	0	0	(
Nicotinic Acid. Boots	0			(
Tablots of 80 mg. Bottle of 25 tablets	v	v	v	
Tablots of 50 mg, Bottle of 25 tablets				
Bottle of 100 tablets				
Ampoules of 50 mg. Box of 6 × 50 mg	8	_	_	(
Penicilla (Sodium)— L. C. Visis containing— 100,000 I. U	8			(
100,000 I. U				
200,000 I. U				
500,000 I. U	0			-
	8 2			(
enicilin in Oil (B. P.)—	-	-	_	
In Arachis Oil with Bosswax)				
R/C vials of 10 cc. (1 c. c. = 125,000 I, U.)	0	0	0	
enicillin Oil/Wax Suspension—	-	_	-	
B/C Vials of 10 o. c. (1 o. c. = 125,000 I. U.)	8	8	8	(
R/O Vials of 10 c. c. (1 c. c. = 800,000 I. U.)		Ŏ		

BOOTS	PURE I	DRI	JG (00. (1	NDL	A) LT	D, BO	MBAY		oni d Reta Ra	il P	
Penicillin Eye Ointment— Tube of 1 dr.	- . •						•	•		1	23 ()
Penicillia Lozenges												
500 I. U. per tablet	Bottle o			:	:	•	•	:	:	1 2		0
Penicillin Ointment-												
Tube of 1 oz						•	•	•	•	1	8	0
Penicillin Oral Tablets-I	3oots—											
50,000 units per table	ot. Tul	be o	f 10	table	ta.		•	•	•	8	0	0
Penicillin with Compound	l Flavaz	ole	Pow	der						_	_	
15 gm. bottle .					•	•	•	•	•	8	Q.	0
Penicillin Dental Cerate-	_									_	_	
1/2 oz. tube .			٠		•	•	•	•	•	3	0	0
Penicillin with Flavazole	Dental	Cer	ate	-						_		^
1/2 oz tube .			•	•		٠	•	•	•	8	4	V
Penicillin Oral Tablets 5	0,000 U	Po	tassi	um S	alt						^	0
Bottle of 20 .			•	•	•	•	•	•	•	24	V	U
Penicillin Snuff										2	8	0
loz. pot			•	•	•	•	•	•	•	2	0	•
Penicillin Coloured—										1	8	0
Amorphous Vials co.	ntaining			00 I. 00 I		•	:	:	•	1	13	ŏ
		4	00,0	00 I	U. .		•	•	٠	8	10	0
		1,0	00,0	00 I.	U.	•	•	•	•	v	•	•
Penicillin Crystalline G-										1	8	0
),000 I.),000 I.),000 I.	℧.	:	•	:		:	:	•	9 5	8	Ŏ
Penicillin Procaine												
Injections of R/C vi	als cont	alni	ng I	0 c. c	. (1 c	· 8	00,000	t. V.)	٠	42	0	0
Solution of Soluble Sulp												_
10 per cent, solution 30 per cent, solution	n i Bott n i Bött	le o	f I fl f 1 fl	OZ,			•	:	:	2 4	10 8	0
SulphaguanIdine—Boots	-											
Tablets of 0.5 gm.	Bottle o Contair	of 50 ners) × of 5	0 ·5 g 00 .	m, tal	olets (47≟ gr.)	:	:	2 15	8	0
· Sulphanilamide—Boots-	_											
${f P}$ — Aminobenzenesulpho												
Tablets of 0.5 gm.	(7⅓ gr. (appı	ox)	Bottle Bottle	e of 23 e of 10	.	•	•	•	0 2	12 4	0
					of 50		:		·	7	0	Ō
					e of 1,			•	•	13	0	0
Sulphanilamide Powder-												^
Sterilized Sulphanii Also available as a	lamide l 5% oin	B. P tme	. Bo nt—	ttle o Jar o	f 15 g f 1 oz	m, .	•	•	•	1		0
Sulphathiazole—Boots—	-											
Sulphathiazole B. P	- 	ъ.	441	-£ 0g						2	2	0
Tablets of 0.5 gm.	(7 ± gr.)	Bo	ttie	οτ 20 ο f 10	o :				:	8	ō	0
		Cor		10 1 0				•		85	6	0
Sulphuthiazole Ointmer	ıt 5%-	•								2	0	0
l oz. jar	•	•	٠	•	•	•	•	•	•	Z.	v	J
batlu hiazole Powde Sudlphathiazolge, H	r.— 3, P. Sta	rilia	æd I	Bottle	of 15	gm,					8	8 0

			O, JEN	пла)	17.11)	(30 و.	MBAY					
								J	Reta			
Sulphathiazole Soluble - H	Boots -								R	Α. Δ.	P,	
Ampoules containing solu		hatin	zole eo	nivala	nt to	l om-						
			OULO		- 6m,	-		p:	0	0		
Bottle of 8 amps Box of 25 amps			:			•				8	- 7	
Vitamin B1—Boots—								-				
Aneurine Hydrochloride	e. B. P -											
Tablets I mg.	Bottle		វ						0	12	0	
• • • • • • • • • • • • • • • • • • • •	Bottle	of 10	, 00	÷	•	:	•	:		12	ŏ	
3 mg.	Bottle							-	1	-	0	
Ampoules 5 mg.	Rottle Box o				•		•	•	2 2	8	0	
25 mg.	Box o	f 3		÷		:			3	8	ŏ	
Vitamin B2—Boots— Riboflavin, Lactoflav				ottle c	of 25				4	4	0	
Vitemin C—Boots—												
Ascorbic Acd, B. P. To	ablots 2ā	ímα	.~									
Bottle of 25			4						1		0	
Bottle of 100		•	•	•	•		•	•	3	в	0	
Tablets 50 mg												
Bottle of 25							•			12	0	
Bottle of 100		•	•	-	•	•	•	•	Б	4	0	
Vitamin K, Analogue - Bo		_										
Water soluble 1 c. e	ampoule		ove of 1. ox of 50		•	•		•	12	0	0	
**	,,		0 units 5,000	,,		:	:	:		12 9	ŏ	her nor
			5,000	**	•	•	:	•				-
The Hapatex series of Liv Hepamino —	or prope	ratio	5,000 ns—	**				•	41	9	0	" n
The Hapatex series of Liv Hepamino — Tins of 5 oz. hermetic	or prope	ratio	5,000 ns—	**	hole l	: lver (: Evans)	•	41	9	0	" n
The Hapatex series of Liv Hepamino — Tim of 5 oz. hermetic Hepatex Oral—	or prope	ratio	5,000 ns—	**	: hole l	: iver (: Evans)	:	41	14	0	per tin
The Hapatex series of Liv Hepamino — Tins of 5 oz. hermetic Hepatex Oral— Bottles of 4 oz.	or prope	ratio	5,000 ns—	**	: hole l	: lver (: Evans)	:	41	14	0	per tin
The Hapatex series of Liv Hepamino — Tins of 5 oz. hormetic Hepatex Oral— Bottles of 4 oz. Hepatex with Iron Ora	er preparation	vration lod F	5,000 ns—	**	: hole l	: iver (: Evans)	:	10 15	14	0 0	per tin
The Hapatex series of Liv Hepamino — Tires of 5 oz. hermetic Hepatex Oral— Bottles of 4 oz. Hepatex with Iron Ora Bottle of 2 oz.	er preparation	vration lod F	5,000 ns—	**	i hole I	: iver (: Evans)	:	10 15	14	0 0	per tin
The Hapatex series of Liv Hepamino — Tins of 5 oz. hermetic Hepatex Oral— Bottles of 4 oz. Hepatex with Iron Ora Bottle of 2 oz Hepovite—-	er preparation	ration lod F	5,000 ns— Proteoly	rsed w		•			10 15 9	14	0 0	per tin
The Hapatex series of Liv Hepamino — Tires of 5 oz. hermetic Hepatex Oral— Bottles of 4 oz. Hepatex with Iron Ora Bottle of 2 oz.	er preparation	ration lod F	5,000 ns— Proteoly	rsed w		•			41 10 15 9	14	0 0 0	per tin
The Hapatex series of Liv Hepamino — Tims of 5 oz. hermetic Hepatex Oral — Bottles of 4 oz. Hepatex with Iron Ora Bottle of 2 oz Hepovite— Tins of 5 oz. hermetic Extract. Heparona —	cally soa	lod F	5,000 as— 'roteoly Proteo	rsed w	vholo	liver,	with h	Ialt	41 10 15 9	9 14 0 11	0 0 0	per tin
The Hapatex series of Liv Hepamino — Tims of 5 oz. hermetic Hepatex Oral — Bottles of 4 oz. Hepatex with Iron Ora Bottle of 2 oz Hepovite— Tins of 5 oz. hermetic Extract. Heparona — Bottles of 6 oz. Prote other minecula.	cally soa	lod F	5,000 ns— Proteoly Protoo	rsed w	vholo	liver,	with h	Ialt	10 15 9	9 14 0 11	0 0 0	per tin per bot
The Hapatex series of Liv Hepamino — Tims of 5 oz. hermetic Hepatex Oral — Bottles of 4 oz. Hepatex with Iron Ora Bottle of 2 oz Hepovite— Tims of 5 oz. hermetic Extract. Heparona — Bottles of 6 oz. Prote other minorals. Hopatox-T—	rally soa	lod F	5,000 roteoly Protoo Protoo	rsed w	vholo	liver,	with h	Ialt	10 15 9 10	9 14 0 11 15	0 0 0 0	per tin per bot ,, ,, tin ,, bo
The Hapatex series of Liv Hepamino — Tins of 5 oz. hermetic Hepatex Oral— Bottles of 4 oz. Hepatex with Iron Ora Bottle of 2 oz Hepovite— Tins of 5 oz. hermetic Extract. Heparona — Bottles of 6 oz. Prote other minerds. Hopatex-T— Ampordes boxes of 6	rally soa	lod F	5,000 roteoly Protoo Protoo	rsed w	vholo	liver,	with h	Ialt	41 10 15 9 10 7	9 14 0 11 15 13 4	0 0 0 0 0	per tin per bot ,, ,, tin ,, bo
The Hapatex series of Liv Hepamino — Tins of 5 oz. hermetic Hepatex Oral— Bottles of 4 oz. Hepatex with Iron Ora Bottle of 2 oz. Hepovite— Tins of 5 oz. hermetic Extract. Heparona — Bottles of 6 oz. Prote other miner ds. Hopatex-T— Ampordes boxes of 6	cally soa deally soa cally soa cally soa xoolised li xoolised 25.2cc.	lod F	5,000 ns— roteoly Protoo with Gly	rsed w	vholo	liver,	with h	Ialt	41 10 15 9 10 7 11 31	9 14 0 11 15 13 4 4	0 0 0 0 0 0 0 0	per tin per bot ,, tin ,, bo per bo
The Hapatex series of Liv Hepamino — Tins of 5 oz. hermetic Hepatex Oral— Bottles of 4 oz. Hepatex with Iron Ora Bottle of 2 oz. Hepovite— Tins of 5 oz. hermetic Extract. Heparona — Bottles of 6 oz. Prote other miner ds. Hopatex-T— Ampordes boxes of 6 Rubber capped bottle	cally soa cally soa cally soa cally soa cally soa colised li x 2cc. 25 - 2cc.	lod F	5,000 ns— roteoly Proteo vith Gly	sed w	vholo	liver,	with h	Ialt	41 10 15 9 10 7 11 31	9 14 0 11 15 13 4	0 0 0 0 0 0 0 0	per tin per bot ,, ,, tin ,, bo
The Hapatex series of Liv Hepamino — Tins of 5 oz. hermetic Hepatex Oral — Bottles of 4 oz. Hepatex with Iron Ora Bottle of 2 oz Hepovite — Tins of 5 oz. hermetic Extract. Heparona — Bottles of 6 oz. Prote other minerals. Hopatex T— Amportes boxes of 6 Rubber capped bottle H.C.I. (Hepatex compo	cally soa	lod F	5,000 ns— roteoly Proteo vith Gly	sed w	vholo	liver,	with h	Ialt	41 10 15 9 10 7 11 31 7	9 14 0 11 15 13 4 4 13	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	per tin per bot ,, tin ,, bo per bo
The Hapatex series of Live Hepamino — Tins of 5 oz. hermetic Hepatex Oral — Bottles of 4 oz. Hepatex with Iron Oral Bottle of 2 oz. Hepovite— Tins of 5 oz. hermetic Extract. Heparona — Bottles of 6 oz. Prote other minerals. Hopatex-T— Ampoules boxes of 6 Rubber capped bottle H.C.I. (Hepatex competed Boxs of 6 x lee ampound 12 x lee. ,,	cally soa cally soa cally soa cally soa colised li x 200. 25 - 200. outh Intropules	lod F	5,000 ns— roteoly Proteo vith Gly	sed w	vholo	liver,	with h	Ialt	41 10 15 9 10 7 11 31 7	9 14 0 11 15 13 4 4		per tin per bot ,, tin ,, bo per bo ,,
The Hapatex series of Live Hepamino — Tins of 5 oz. hermetic Hepatex Oral — Bottles of 4 oz. Hepatex with Iron Oral Bottle of 2 oz. Hepovite— Tins of 5 oz. hermetic Extract. Heparona — Bottles of 6 oz. Prote other miner ds. Hopatex-T— Ampordes boxes of 6 Rubber capped bottle H.C.I. (Hepatex compose Boxs of 6 × lee ampose, 12 × lee. ,,	cally soa deally soa cally soa cally soa colised li x 2cc. 27. 2cc. col 10cc cound Intropules	lod F	5,000 ns— roteoly Proteo vith Gly	sed w	vholo	liver,	with h	Ialt	41 10 15 9 10 7 11 31 7	9 14 0 11 15 13 4 13 9		per tin per bot ,, tin , bo per bo ,,
The Hapatex series of Liv Hepamino — Tins of 5 oz. hermetic Hepatex Oral — Bottles of 4 oz. Hepatex with Iron Ora Bottle of 2 oz Hepovite — Tins of 5 oz. hermetic Extract. Heparona — Bottles of 6 oz. Prote other minerals. Hopatex-T — Ampedes boxes of 6 Rubber capped bottle H.C.I. (Hepatex compo Boxs of 6 × lee ampe "12 × lee." Neo-Hapatex — (Concentrated Proteoly.	cally soa cally soa	lod F	5,000 ns— roteoly Proteo vith Gly	sed w	vholo	liver,	with h	Ialt	10 18 9 10 7 11 31 7 6	9 14 0 11 15 13 4 4 13		per tin per bot ,, tin , bo per bo ,,
The Hapatex series of Live Hepamino — Tins of 5 oz. hermetic Hepatex Oral — Bottles of 4 oz. Hepatex with Iron Oral Bottle of 2 oz. Hepovite— Tins of 5 oz. hermetic Extract. Heparona — Bottles of 6 oz. Prote other minerals. Hopatex-T— Ampoules boxes of 6 Rubber capped bottle H.C.I. (Hepatex compound Boxs of 6 × lee ampound Boxs of 6 × lee a	cally soa cally soa	lod F	5,000 ns— roteoly Proteo vith Gly	sed w	vholo	liver,	with h	Ialt	10 15 9 10 7 7 6 11	9 14 0 11 15 13 4 4 18 9 14		per tin per bot ,, tin ,, bo per bo ,,
The Hapatex series of Liv Hepamino — Tins of 5 oz. hermetic Hepatex Oral — Bottles of 4 oz. Hepatex with Iron Ora Bottle of 2 oz Hepovite — Tins of 5 oz. hermetic Extract. Heparona — Bottles of 6 oz. Prote other minerals. Hopatex-T — Ampedes boxes of 6 Rubber capped bottle H.C.I. (Hepatex compo Boxs of 6 × lee ampe "12 × lee." Neo-Hapatex — (Concentrated Proteoly.	cally soa cally soa	lod F	5,000 ns— roteoly Proteo vith Gly	sed w	vholo	liver,	with h	Ialt	10 15 9 10 7 11 31 7 6 11	9 14 0 11 15 13 4 13 9 14		per tin per bot ,, tin ,, bo per bo ,, ,,

EVAUS MEDICAL SUPPLIES (INDIA) LTD —Contd.

Penicillin Lozenges					-, · · · · · ·	-			tail . A.	-	c e	
Bottles of 50								2	3	Λ.	er bot.	
Penicillin Ointment—	•				•	•	•	_		o F	or pou.	
· · · · · · · · · · · · · · · · · · ·								0	0	^	Jan	
Jars of 25 grm	•	•		•	•	•	•	2	3	0	" jar.	
Penicillin Eye Ointment—										^		
Tubes of 4 gm	•	•	•	•	•	•	•	1	4	υ,	, tube	
(Sodium Salt Crystalline 'G')—1	lalch							1	8	0	each n	ot
·	lakh		•	•				2	3	ŏ	,,	,,
(Sodium Salt Crystalline 'G')-5	lakh lakh		•					4 8	10 12	0	7† 22)) })
Diphtheria Antitoxin B.P— Refined Globulins, 4,000 units	,									_	"	
or more perce—								_				
Ampoules containing 4,000 units		•	•	•	•	•	٠,	6 10	4 0	0	per am	p.
,, 8,000 ,, 10,000 ,,					•	•		3		ŏ	"	
,, 20,000 ,,					•	•		26	4	Õ	"	
Gas-Gangrene Antitoxin (Perfringen	в) <u>—</u>											
Prophylactic—	•											
Ampoules of 4,000 units (2.5cc.	or less	3)						6	4	0	,,	
Therapeutic—												
R.C. bottles of 1,000 units—(6.2	25cc. o	r less)						14	1	0	,,	
Tetanus antitoxin-												
Concentrated Globulins. Prophyle	actic-	-										
Amp. of 3,000 I.U. (1,500 U.S.A.	, Unit	8)						8	2	0	••	
Therapeutic-	•	•										
Amp. of 10,000 I.U. (5,000 U.S. R.C. Bottles of 20,000 (10,000 U).			:	. :	9 17	1 8	0	"	
Anti-Dysentry Serum —												
Shiga, Flexner & Sonne) (Polyvale	nt (EV	ANS))—									
Total Globulins												
2,000 units Shiga Antitoxin per Ampoules of 10,000 Shiga Unit									10			
in 5c.c.	•	•	•	•	•	•	•	18	12	0	,, '	
Hemostatic Serum—			-									
For Hypodermic or tropical app Does 2 to 5 cc. repeated every						norrhe	ige					
Ampoules of 2 cc	. 4.00	. 110011	, , , , , , , , , , , , , , , , , , , ,		ry	:	:	5	10	0	,,	
Common cold, Anti Catarrh Vacci	ne No.	3—									"	
(For prophylaxis) 3×1cc. T.A.B. Vaccine 1cc.				-		•		4	8 12	0	,,	
,, 5cc.		:	:				:		12	ŏ	"	
Cholera								1	12	0	**	
Streptocide Tableta 25's		٠	•	•	•		•	1	0		each les	is.
,, ,, 100's ,, 1000's					•	•	: .	3 21	8	0	20%	
	5's				:		,		12	ŏ	**	
	0's						٠.	5	0	0		
,, ,, 1000) 'B	•	•	-	•	•		39	0	0		
Eubion Capsules—												
Bottles of 60 Capsules	•	•	•	•			•	Б	0	0	per bo	t.
JAYKUMAR & CO., BOMBAY					8. ^v							
"Morcks" Thiamine Hydro Cl "Mercks" Saline Solution of					В12	:	· .	J 19	9 15	0	por grai Per Aix	ու մ թ.

A.

MARTIN & HARRIS, LTD., BOMBAY.

E. R. Squil	ob & So	ns Ir	terna	tiona	l Cor	poratio	n In	corpo	rated,	New			
Dihydro Strepto	mycin I	Jydro	cholr	ide—							Rs.	Δ,	Р.
Vial of 1 g Vial of 2 g	m		:	•			:	:	•	:	5 9	0 0	0 0 0
Vial of 5 g. Crystalline Penic Vial of 100,	elllin So	dium	g.—	•	•	•	•	•	•	•	1	4	0
Vial of 200, Vial of 500,	000 uni 000 uni	tø tø	•	:	:	•	:	:	:	:	2 4 7	0	0
Vial of 10,0 Crysticillin (Proc			n G.	for a	Oneon	B inie	ntion)	-	•	Ī	•	•	v
Vial of 300, Vial of 30,0	iau 000,	t g	:	:				:		:	6 45	8	0
Dispolators—Per Carton of 3					r inke						9	12	0
Penicillin Calcius Tube of 14						-	•			•	2	5	в
Penicillin Calcius Tube of 3.6	m Ointn	ent f	for O	phtha	lmio 1	n se- -	_	_			1	12	в
Penicillin Potass Box of 24 s	ium G.	Chew	ing T			_					3	8	6
Peniciliin Potassi Box of 6 ea	lum G. '	Table	ts								8	0	0
Propaine Penicill	in G. in	Oil 1	with :	B-D 1	ومعتان			ge.—	•	•			
1 oo, cartrid Folio Acid Table	t s	0,000] urit	:B.	•	•	•	•	•	•	7	8	0
25 × 5 mg. 25 × 10 mg	ζ.			•	•	:	:	:	:	:	11	8	0
Naicin Tableta— 100 × 25 gr Sulfadiazine Tabl	m.					-	•	•			2	4	0
$\begin{array}{c} 20 \times 7\frac{1}{2} \text{ gr.} \\ 100 \times 7\frac{1}{2} \text{ gr.} \end{array}$:	-		:			3 13	0	0
1000 × 71 : Sulfaguanadine T			•	•	•	•	•	•	•	. 1	125	ğ	0
20 × 71 gr. 100 × 71 gr 1000 × 71 f		· ·	: :			: :	: :	:	•		7 1	0 4 0	0 0 0
Sulfamerazine Ta 100 × 7½ gr	blets-	•						•		•	13	0	0
Sulfapilamide Ta 100 × 7½ gr	lete − . ,								,		3	0	o
Sulfathiazole Tab $20 \times 7\frac{1}{2}$ gr									•		2 10		9 0
$\begin{array}{c} 100 \times 71 \text{ gr} \\ 1000 \times 71 \text{ .} \end{array}$	gr,	•	•	•		•	•	•	•				8
Thiamine Hydroc 50 × 5 mg. 50 × 10 mg			_								2 2 1	-	0
An 14 ma													

VITAMINS LIMITED, LONDON.

										Ra.	A. 3	P.
Vitavel-A(Vitamin A o	onc e nt	trate :	83,000	0 I. U	ſ. per	caps	ıle)—					
25's 100's	•		•				-			5 19	13 14	9 9
Botavel (Anourine Hyd	irochi	oride i	BD 7	Fablet	a—-	•	•					
25's × 10 mg.	_		, .			_	_			2	3	0
100 's \times 10 mg.		•	•							8	9	0
25 's $\times 25$ mg.				-	•	•			•		10	9
100 's $\times 25$ mg. 25 's $\times 50$ mg.	•	•	•	•	•	•	•	•	•	12 6	9	0
100's × 50 mg.	•	•	•	-	•	•	•	•	•	19		ŏ
25 's \times 100 mg .		•	•	÷	·	·	•	•	•	11		9
100 's \times 100 mg.	•			•						34	15	8
Ampoules												
6 × 1 cc. × 50	mø.									4	6	0
6 × 2 co. × 50 s	mg.								-	5	13	8
Viale—												
10 cc. × 100 mg.	/00.					-	٠	•	•	ð	14	0
Ribovel (Ribofleavin B	(2) Ta	blets-	_									
$25'8 \times 3 \text{ mg}$.											10	9
100 s \times 3 mg.							•			12	13	3
Pyrivel (Pyridoxine H	rdrook	lorida	RAN.	_								
Tablets—	, 4.001	1101101	. 20,									
										10	8	0
25's × 10 m.g.	•	•	•	•	•	•	•	•	•	10	0	٠
Ampoules-											_	_
$8 \times 50 \text{ mg}$.	•	•	٠	•	•	٠	•	•	•	9	0	0
Ascorval (Ascorbic Aci	d (O)	Tablet	. —et								•	
25's × 50 mg.				_	_					2	8	0
100' × 50 mg.	•			•						5	9	3
Ampoules—												
6 × 2 oo. × 50	mø.		_				_			4	12	0
6 × 5 cc. × 100		•						-	-	10	4	0
Vitavel-D (Vitamin D		ntzata	. 80 0	nn T	TI no	r ora	m)					
			00,0	00 1.	o. pe	. g	ш,			4	4	0
Vial of 25 grams. 25 's \times 50,000 I.) E U	•	•	•	•	•	•			13	ŏ
	•	.lata		•	-	-						
Nicovel (Nicotinio Acid	-)tere								1	6	0
25's × 50 mg. 100's × 50 mg.	•	•	•	•	•		•	•		2	Ď	3
100's × 100 mg.		÷	·							5	12	0
Ampoules-												
6 × 1 cc. × 50	ma.		_							8	1	0
(Nicotinamide) Tableta	_	•	-	•	-							
,										2	8	0
25's \times 50 mg.		•	•	•	•	•	•	•	•	•	٠	Ü
Vitavel-K (Vitamin K-	Ace	tomen	aphtl	ione)	Table	rts—						
25's × 10 mg.				•		•		•		8	1 8	0
100's \times 10 mg.			•	•	•	•	•	•	•	8	8	0
Vitavel-K (Vitamin K-	_ ∆.oe	tomen	aphtl	nene)	Ampo	rules—	-					
6 × 1 co. 5 × 5 g										5	2	0
			-	•	•							
Pantothenie Acid Tabi						- .	_			4	4	8
25's × 25 mg.	•	•	•	•	•	•	•	•	-	-	-	-
Choline Chloride										98	15	
25 grams .	•	•	•	•	•	•	•	•	•	20	40	o

	ъ GAZ				N D I E), E.	A I II.	AUR.	DIN	ALUI.	, U	UI.	- 01	L, 13	D.T.L.
- 7						1.05					===				
Fortilel (Vitam		/ITAM Vhoat					DON	Con	ud.		\mathbf{R}		P.		
25's × 3				·	•							14	3		
100's × \$				٠	•	•	•	•	•	•	12	2 18	3		
BRITISH		ICAL8									GН	вон	OU	GН,	
Acetomenaphtl) Tab	ets							
25's × 10	_	•		٠	•	•	٠	٠		•	2	10	0		
Nicotinamide		-													
100'• × 6	_	•	•	•	•	•	•	•	•	٠	•	8	0		
Nocotinio Acid											_		_		
100's × 5 250's × 5		•		•								10	0		
	G	EOF	REY	MA	NNEI	rs &	co.,	LTD.	, Bo	мва	Y				
			"W	yeth :	incorp	orate	d, ph	dladel	phia"						
"Wyeth incorporated, philadelphia" 'Wyoillin' (Crystalline Proceine Penicillin G) 300,000 units per co.— 1 co															
		•		•		٠, ٢	•	•	•	٠					
'Penioral' (Peni	Iallin tat	.late\-		•	٠	•	•	-	•	•	υ	, 9	U	9801	+
50,000 uni		,									1	в о	0	eacl	h
100,000 un				•	•	•	•		•			8 12			
		PAR	KE,	DAV.	rs &	COM	PAN:	х, вс	мыа	Y					
												Reta	ll pr	ice	
										-	υ	. К.	τ	J. S	A.,
I										TR				. A.	
										1,	CI.	p.	TVQ		
Adrenalin Solu	tion 1-10	0													
5 00.			•	•	•	•	-	٠	•	. 5	7	0		Nil	
Adrenalin Chlo	ride Solu	tion 1.	1000-	_							_		_		
10 cc. 1 oz.		•	٠	•	•	•		•	•	•	2 5		0 0	Nil Nil	
Adrenalin Chlo	vide Solu	ition ()	. 5 on.	<u>.</u>	'	•	•	•	٠	•	٠	v	U	мп	
											3	в	0	NII	
Adrenalin in O	il lee am	ps.													
6'в					-		-				5	9	0	Nil	
Pitrossin 0.5 cc	3														
6's											N	ul		9 14	0
Pitressin 1. o c	ю.—														
6's		-			٠			٠			N	il	1	1 14	0
Pitocin 0.5 cc	. . —														
6'e .					•	-				•	5	5	0	8 14	0
Liver Extracts.	-														
Liver Extract	2/U.S.P.	unita/c	·o.—												
10 cc.										•	N	ii		6 10	0
Liver Extract	s/U.S.P	_													
10 cc.											N	il	1	3 11	0
Liver Extract	10/U.S.P.	.—													
											3.7		-		_
			•	-				•		•	N	il	2	6 2	0
10 cc. Liver Extract			٠	•	•			•	٠	•	N:		2	6 2	0

	PA	rke	DAR	IS &	COM	PAN'	Y, B	МВ А	Y00	ntd	! .					
Livibron-											Rs.	Δ.	P.	Rs.	Α.	P
8 oz .				_		_	_				1	Vil		7	13	0
*	•	•	•	•	•		-									
Compound Vitamin	s Pro	duet-	_													
Abdoc Drops																
15 ec.		_					٠.							7	в	0
Abidol 'C' Caps-																
25's .			,									٠.		5	4	0
Abidol 'C' Caps-		-														
100's						•								17	в	0
Abidon with Vit, C		ļ														
25's .	, ^										4	9	0			
100's .				-	-			,		٠	15	8	0		• •	
Combex Parenteral	-															
10 cc							•		•					8	10	0
Covibex Tablets -																
25's .												10 10	0	$\frac{2}{7}$	10 10	0
100'в	•	•	•	•	•	•	•		•	•	7	10	U	'	10	v
Vibox Liquid														в	2	0
4oz.	•	•	•	•	•	•	•	•	•	•		• •		U	4	U
Ferradol—											o	T 4	0	9	9	0
1 lb 2 1 lb	•	•	•	•	•	•	•	•			12	14 11	0	ð		1,
211b.		•	:							-				19	8	0
Haliverol																
5 ce.							_	_			2 1	.3	0			
10 cc	:	:	•		•								_	<u>5</u>	5	0
50 cc	•		•	•		•	•		٠,	•	12	4	0	22	7	0
Haliverol Caps-													_			
25's . 100'в .	-	•	•	•	•	•	•	•	•	٠	4 14	8 1	0	4	3	0
100's . Nutritive Caps—	•	•	•	•	•	•	•	•	•	٠		•	٠		• •	
100'в .														8	7	0
Taka Combex Kap		•	•	•	•	•	•	•	•	•		•		Ĭ	•	•
~ ~1	H													8	14	0
25's . Cod Liver Oil Emu	laian	•	•	•	•	•	•	•	•	•		•		·		·
8 oz .	matory-	_									3	7	0			
0 UZ .	•	•	•	•	•	•	•	•	•	•	_	-			•	
	LET	TRE	E LAI	RORA	TOR	ties (INDL	A) LT	D., B	эмі	ваз	ζ				
					11020			,	~-, -							
Aureomycin Hydro			paulos	s—												
250 mg. per caps	зице													ar	0	0
16 capsules			•	•	•	•	•	•	•	•		•	•	U+)	()	17
Folbesyn—			***	78-1	(4 - 7 - 1											
Brand of injects	bie Vi	amin.			ite(c)-	_								ĸ	14	0
1 dose			•	•	•	•	•	•	•	•	٠		•	U	14	17
Folvite Elixir—	• 7 . 7	,														
Brand of folio ac														0	10	a
4 07.				•	•	•			•	•	•		•	0	10	U
Folvite Solution Pe			Han 1	. 1 m =	va e	ar oo	_									
Brand of sodium				7) 10 1	пк. Ъ	or 00								30	9	
10 cc.	•	•	•	•	•	•	•	•	•		•	•		10	.,	.,

LEDERLE LABORATORIES (INDIA) LTD., BOMBAY

Folvite Tablets 5 :	ng.—											
Brand of folic ac	oid (cl.)	_								Rs.	4 ,	P.
25 c.c.										10	8	0
Folvite Tablets 5 r	ng.—											
Brand of folio ac 1000 .	oid (o1.)			_						322	0	0
Folvite with Liver	Extract	t, Crude 2	v.s.	P.—								-
Brand of folio ac	oid (0) E	ach o.c. c	ontair	ns;								
Folvite 2 mg.	Liver L	njection c	rude 2	2 V.S.	P. un	ito.—					1.0	
10 c.c Folvite with Liver	Futto o	 נפודאו		•	•	•	•		•	. 7	13	0
Brand of folio ac				dmar T	^r a lerita	9	. T:	T				
tion 15 U.S.P.			соци	ems; r	OIVIVE	ı ∠ mış	j. 121Ve	er inje	ec-			
10 c.c Folvron Elixir—	•		•	•	•	•	•	•	•	37	8	0
Brand of folic ac	id and	ferrous gl	ucona	to (cl) 							
4 oz										4	15	0
Folvron Tablets-										_	٠,	J
Brand of folio ac	id and	ferrous su	lfate	(cl)—-	_					б	14	0
Folvron Tablets-					·	·	•	•	•	·	**	٠
Brand of folic ac	nd and	ferrous su	lfate	(cl)						166	5 5	0
Interaheptol-					•	-	•	•	•	100	, ,	v
Brand of intrave	nous liv	er concer	itrate	(o)								
10 cc	•			` •		٠				13	1	0
Ledercillin Ointme												
Brand of Penicil	lin (¢) 1	,000 units	per g	угат–	-							
I oz.	•			•	•					5	в	0
Ledercillin Ophtha												
Brand of Peni	eillin 1,	000 units	per g	ram.–	-							
6) oz. 1 oz. tube.	•		•				•			14	1	0
Ledercillin Troches			•	•	•	•	•	•	•	2	6	0
Brand of crystal		ouina Dan	willen	a (a)	n		,				
25 .	imo pro		лении	G (6)	, 0,00	у шщ	в рег	roone				_
Lederplex Liquid-	-	• •	•	•	•	•	•	•	•	4	10	0
Brand of vitami		nolex with	ı Foly	rite (ci	11							
4 oz	•				٠.,			-		7	8	0
Llera-Diazine—												
Brand of sulfadi	azine su	spension	(a & 1	5)								
16 oz.				•							_	
Niacinamide Solut			•	•	•	•	•	F	•	14	7	0
δ cc.		er cc. (c). ·	•							2	10	0
Niacinamide Table	ts U.S.1	2,										
Nicotinamide—5	60 mg. (cl.)—-										
100 .	•			• ^		-			•	2	11	0

										==	
LEDERLE	LABOR	ATORI	ES .	(IND	IA) l	LTD.,	BOM	BAY	-con	td.	
Niacinamido Tablets U.S.F	' ,—								$\mathbf{R}s.$	▲.	P.
Nicotinamide—50 mg. (d	1)—-										
1000		•	•		•	-	-		21	2	0
Buffered Crystalline Penici											
200,000 units per vial				•	•	•	•	•	2	4	0
Buffered Crystelline Penici		lium (c))							_	
500,000 units per vial	•	•	•	•	•	•	•	•	4	9	0
Penlator— Brand of crystalline pen:	iallia O a		f i	nhala	tion :	41aa	(a)				
300,000 units—	ICITIIII CA E	outum	10t I	1111919	мон	ruereb	y (c)				
3 cartridges and 1 I	nhalor								12	0	0
Sulfadiazine Tableta Ú.S.P		-	•	•		•	•	•		·	Ü
0·5 gm. (e & h).—	-										
20									2 1	3	0
Sulfadiazine Tablets U.S.P	.—										
0·5 gm. (e & h.)—											
1000	(D	•	•	•	•	•	•	•	117	8	0
Sulfaguanidine Tablets U.S	s.F.—										
0·5 gm, (e & h)— 1000									66	11	0
Sulfamerazine Tableta U.S.	P.—	•	•	•	•	•	٠	·	00	*1	U
0.5 gm. (e & h)—											
100	•						٠		10	12	0
Sulfamerazine Tablots U.S.	.P.—										
0.5 grm, (o & h)— 1000				٠					104	0	0
Synbefax Tablets—	•	•	•	•	•	•	•	•	IVE	U	v
Brand of vitamin B1, B2	Nincina	nide an	d C,	with	Folv	ite (cl)		_	17	8	0
Thiamine Hydrochloride T	ablets U.8	š.P	í	•	•	•	•	·		٠-	- "
Vitamin B1—10 mg. (3,3	333 I.U.)								в	15	0
Themine Hydrochloride T		8.P.—									•
Vitamin B1 —10 mg. (3,	333 I.U.)				,				54	8	0
VI-Delta Capsules—									•	` ~	_
Brand of vitamine A and	l D (cl)										
100	•	•	•	•	٠	•	•	•	8	0	0
VI-Delta Emulsion—		a			1	. /-1 \					
Brand of vitamins A and		_	vour	эа өш	LUL BIOI	1 (01.)-			3	0	0
4 oz. VI-Ferrin Capsules—	•	•	•	•	•	•	•	•	o	U	v
Brand of dried ferrous a	lfate, live	or and v	vitan	ain B	facto	rs wit	h Fol	vite (ol.)—		
1000								. <u>t</u>	218	0	0
100 VI-Ferin Tablets—	•	•	•	•	•	•	•	٠ 4	1 243	10	.0
Brand of dried ferrous su	lfate, live	er and v	vitan	ain B	facto	rs (cl)-	-				
100								•	11	6	0
VI-Magna Capsules—											
Brand of multivitamins	with Folv	ıte (ol.)									
30		•	•	•	•	•	-	•	6	14	0
Viosterol in oil U. S. P.—											
Synthetic elecvitamin D. 5 cc. dropper bottle									ì	8	0

TEDER	RLE :	LABO	RAT	овп	28 (II	NDIA) LTI	D., B	OMB/	AΥ—c	oncld.			
Vitamin B Complex 1	Parent	eral										\mathbf{Rs}_{i}	. 4	. Р
Each cc. contains: 5 U. S. P. units if 5 cc.		ctract	(c).—	-								ß	13	0
, , , ,	•	•	•	•	•	•	•	•	•	•	-			•
		VOΙ	LKAI	RT BI	ROTH	IERS	LţMI	TED,	BOM	BAY				
Sharpe and $D\epsilon hme\ Ph$	armac	eutica	ls.											
'Bedome '(Vit. Bl.) mg.	per c.	c.—									4	8	0
Vial of 5cc. Bedome ' (Vit. B1 Vial of 10 cc.) 100	ng. pe	or co			•	•				•	6	7	0
'Nicovite' (Nicotin	ie Aci	d)—												
I00 mg. tablets : Bottle of I00	•											3	2	o
Sodium Sulfamerazino	Pow	der—												
Vial of 5 gm.	•		•	•	•	-	•	•	•	•	•	5	0	0
Sulfacuxidine ' 0 · 5 g Bottle of 100	m. ta	blets:										20	0	0
Bottle of 500		:	:	•	•	:	:	•	•	•		85	0	0
Bottle of 1000 'Sulfathalidine' 0	5 om.	tablet	ia :	٠	•	•	•	•	•		•	160	0	0
Bottle of 50 .	. 6	,											0	0
Bottle of 100 Bottle of 500	•		:	:		:	:		•		:	22 90		
Roche ' Specialities. Beflavin 'Roche '— Vitamin B2, ribot		lactor	lavin	_										
Tablets 10 mg. Bottles of 20	_			_	_							2	4	0
Bottles of 10	0		•			•	•	•	•			9	9	0
Ampoules 10 m Boxes of 6	ıg.—					•						3	8	Ü
Boxes of 50		٠	•	-	•	•	•	•	•	•	•	26	3	0
Bendadon 'Roche'—														
Vitamin B6, Pyrldo	xino-	-												
Tablets 20 mg.— Bottle of 20												3	19	0
Bottle of 100	:			:	•	•	·		:			16		ŏ
Ampoules 50 mg. Boxes of 6	_										_	4	l	0
Boxes of 50		•		-	•		٠	•	٠	•		3 0	11	0
Sonerva 'Roche '														
Vitamin B1, aneuri	ne, thi	amine	—											
Tablets 3 mg.—														
Bottle of 20 Bottle of 500	:	:	:	:	:				•	:		$\begin{array}{c} 1 \\ 22 \end{array}$	5 5	0
Tablets 5 mg.—														
Bottle of 500 Bottle of 100	:	:		:	:	:		:	:	:		2 9 7		0
Forte Tablets 50	m g-		•											
Bottle of 20 Bottle of 100	:	:		:					:			$\begin{array}{c} 7 \\ 31 \end{array}$	$\frac{3}{10}$	0

	VOLKART	BRO	THERS	UNI	CED	вом	BAY-	-contd.				
Benicot 'Roche'— NicotinamidePellagra-preventing factors. Rs. A. P.												
Tablets 100 r												
Bottle of 2										2	1	0
Bottle of 1	.00									8	ō	0
Ampoules 100									•	•	_	•
Boxes of 6					_	_				2	13	0
Boxes of 50										20	6	0
Bepanthen 'Roch	ıe '—											
Panthenol-Pant Tablets 25 m		prepara	stion.									
Bottles of							_		_	2	2	0
Bottles of						-				9	3	Õ
Ampoules 50 Boxes of 6										2	15	0
Boxes of 50		•					•	•	•	21		ŏ
Forte ampoul		•			•	•	•	•	•	~~	-0	U
Вожев об 3										4	6	0
Boxes of 2		•		•	•	•	•	•	•	38	ŏ	ŏ
Solution 5%.		•	•	•	•	•	•	•	٠	00	۰	٠
Bottles of t										3	0	0
Bottles of 1		•		•	•	•	•	•	•	43	Ĭ	ŏ
Ointment 5%		•	•	•	•	•		•	•	40	•	v
Tubes of 30	Dom.									3	2	0
Tubes of 1	80 cm.	•			•	•	•	•	•	16	4	ŏ
Ephynal 'Roche'		•	•			•	•	•	•		-	٠
Vitamin E, dl a	donastanana	rol.										
Tablots 10 m		. 014										
Bottles of 20		_								3	1	0
Bottles of 100		- 1				•	•		·	13	4	ŏ
Forte tablets		-	•		•	-	•	•	•		-	•
Bo tles or										8	0	0
Botules of									·	85	ŏ	ŏ
Ampoules 30				•	•	•	•	•	•	40	٠	٠
Boxes of 6						_	_		_	8	14	0
Boxes of 50	0					_			-	27		ŏ
Redoxon 'Roche'			,	•		•	-	•	-			•
Vitamin C, I—e												
Tablets 50 m												
Tubes of 20										2	9	0
Bottles of											12	
Bottles of										25	12	ŏ
Bottles of	1000									88	12	0
Forte tablets												
Tubes of 20											10	0
Bottles of 1								•		87	11	0
Ampoules 100	0 mg.											
Boxes of 6							•	•		8	8	0
Boxes of 5	0						•	•		61	4	0
Forte ampoul												
Boxes of 3										7	7	0
Boxes of 20						•	•	•		48	12	0
Synkavit 'Roche		_										
Water-soluble		eparat	ion.									
Tablets 10 n										_		
Bottles of 1		•			•	•	•	•			15	٨
Bottles of		•			•	•	•	•	•	39	8	0
Ampoules 10										_	_	
Boxes of 3		•	٠.	•	•	•	•	•	•	6	.8	0
Boxes of 2	. .	•		•	•	•	•	•	•	85	TQ	0

By Order,

. D. MATHUR,

Secretary (Rationing & Civil Supplies) to the Chief Commissioner, Delhi.

PHBLISHED BY THE MANAGER OF PUBLICATIONS, DELEY, INDIA PRINTED BY THE MANAGER, GOVERNMENT OF INDIA PRISS, NEW DELEY. INDIA.